Preferred. Proven. **Guaranteed.**

2027
Catalogo Prestagionale



ENGINECARE™



992231
450E SERIES™, 500E SERIES™

992232
550E SERIES™, 575EX SERIES™, 550EX SERIES™ ECO-PLUS™

992244WM
625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM®

992234
700 SERIES™, 750 SERIES™, 750 SERIES™ I/C®, DOV®, DOV® I/C®

992242
MODEL 21, SERIES 3 POWERBUILT™, INTEK™ I/C® OHV
21R5, 21R6, 21R7, 21R8

992243
MODEL 31, SERIES 4 INTEK™, I/C® OHV 31R7, 31R8, 31R9

992245
VANGUARD V-TWIN ECK, M49 OILGUARD-SYSTEM

992252
VANGUARD V-TWIN ECK, M38 FLAT PANEL AIRFILTER

992253WM
VANGUARD V-TWIN ECK, M61 CYCLONIC AIRFILTER

992254WM
VANGUARD V-TWIN ECK, M61 FLAT PANEL AIRFILTER

992240
VANGUARD V-TWIN ECK M29/M30/M35



* I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton.

Il design della confezione dei Consumer Engine Care Kit (ECK) è soggetto ad aggiornamenti e al momento della consegna potrebbe differire dalle immagini mostrate.

OLIO MOTORE



100004E

0,5 L
SAE30 • Classic Oil

x1



100005E

0,6 L
SAE30 • Classic Oil

x1



100007E

1 L
SAE30 • Classic Oil

x1



100006E

1,4 L
SAE30 • Classic Oil

x1



100008E

2 L
SAE30 • Classic Oil

x1



100009E

5 L
SAE30 • Classic Oil

x1



100046E

25 L
SAE30 • Classic Oil

x1



100047E

60 L
SAE30 • Classic Oil

x1



100048E

200 L
SAE30 • Classic Oil

x1



100007W

1 L
5W30 • Winter Oil

x1



100007S

1 L
5W30 • Premium Oil • Fully Synthetic

x1



100009S

5 L
5W30 • Premium Oil • Fully Synthetic

x1



100007V

1 L
15W50 • Professional Oil • Fully Synthetic

x1



100009V

5 L
15W50 • Professional Oil • Fully Synthetic

x1

Le immagini mostrano il nuovo design delle etichette e dei flaconi dei nostri oli. In base alla disponibilità di magazzino, potreste ricevere ancora prodotti con flaconi ed etichette della versione precedente.

SELEZIONE CANDELE

FILETTATURA CORTA	GAMMA PRODOTTI	MODELLI	CANDELA RICHIESTA
SERIES	450, 500, 550	09T5, 10T5, 10T6, 10T8	992300C (BS-SV-Cu)
E-SERIES	450E, 500E, 550E, 575EX, 550EX ECO PLUS™, 625E	08P5, 09P6, 09P7, 093J	692051*
SERIES / E-SERIES	625, 650, 675, 650 ECO PLUS™, 625E, 650E, 675EX, 650EX ECO PLUS™	122T, 124T, 126T, 124L	992300C (BS-SV-Cu)
EXi-SERIES / iS-SERIES	650EXi, 675EXi, 675iS INSTART®	103M, 104M	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV®	700, 700E	0906	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV® / iS-SERIES	750, 750EX, 750EX ECO PLUS™, 775iS INSTART®	1006	992304 (BS-OHV)
SERIES DOV® I/C® / E-SERIES DOV® I/C®	750EX	1008	992304 (BS-OHV)
SERIES / E-SERIES	800, 800E	11P9, 112P	992304 (BS-OHV)
SERIES	850, 875, 850 ECO PLUS™	12R9, 12S9, 122S, 122R	992304 (BS-OHV)
E-SERIES / iS-SERIES	850E, 875EX, 850EX ECO PLUS™, 875iS INSTART®	12R9, 12S9, 122S, 122R, 111P	992304 (BS-OHV)
E-SERIES / iS-SERIES	800EXi, 850E, 875EXi, 875iS INSTART®	115P, 123P, 125P	692051*
SERIES I/C® / E-SERIES I/C®	850	12Q9, 122Q	992304 (BS-OHV)
E-SERIES	950	14B9	992304 (BS-OHV)

FILETTATURA LUNGA	GAMMA PRODOTTI	MODELLI	CANDELA RICHIESTA
POWER BUILT™ OHV	10.5, 11.5, 12.5, 13.5	2158, 2178, 2198, 21B8, 21R5, 21R6, 21R7, 21R8	992304 (BS-OHV)
POWER BUILT™ OHV	14.5, 15.5, 16.5	31A5, 31A6, 31A7, 31R5, 31R6, 31R7, 31R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
POWER BUILT™ OHV	17.5, 18.5	31C7, 31N7	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	13.5	21B9, 21R8	992304 (BS-OHV)
INTEK™ OHV	17.5, 18.5, 19.5	31G7, 31P7, 31P6, 31R7, 31R8, 31R9	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	21.0	3318, 33R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	16.0, 18.0, 20.0, 22.0	4015, 4055, 4067, 4077, 40R5, 40R6, 40N7, 40N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	23.0, 24.0	4455, 4456, 44N6, 44N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ OHV	21.0	33M7, 33S8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	20.0, 22.0	40G7, 40H7, 40U7, 40U8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	23.0, 24.0, 27.0	44L7, 44M7, 44U5, 44U6, 44U8, 44C8	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2957, 3057	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0, 20.0	3567, 3587	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	23.0	3867	992304 (BS-OHV), 992306 (BS-OHV-HT)

ORIZZONTALE	GAMMA PRODOTTI	MODELLI	CANDELA RICHIESTA
SERIES OHV	550	0831	797235*
SERIES OHV	750	1062	992304 (BS-OHV)
SERIES OHV	800, 900	1263, 1210	992304 (BS-OHV)
SERIES OHV	1450	2043	992304 (BS-OHV)
VANGUARD™ OHV	4.0	0864	992304 (BS-OHV)
VANGUARD™ OHV	5.5, 6.5	13H1, 13H3	992304 (BS-OHV)
VANGUARD™ OHV	7.5	1384	992304 (BS-OHV)
VANGUARD™ OHV	8.0, 10.0	19H1, 19H2	992304 (BS-OHV)
VANGUARD™ OHV	13.0	2454	992304 (BS-OHV)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2954, 3054	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0	3564	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	21.0, 23.0	3854, 3864	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	25.0, 27.0, 29.0, 31.0	5404, 5414, 5424, 5434	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	33.0, 35.0	6114, 6134	992304 (BS-OHV), 992306 (BS-OHV-HT)

* Non disponibile nel programma prestagionale.

CANDELE





992300C

BS-SV-Cu

x1



992301C

BS-SV-Cu

x24



992304

BS-OHV

x1



992340

BS-OHV

x24



992306

BS-OHV-HT

x1

BS-SV-Cu: BRIGGS & STRATTON SIDE VALVE (COPPER CORE)

BS-OHV: BRIGGS & STRATTON OVERHEAD VALVE

BS-OHV-HT: BRIGGS & STRATTON OVERHEAD VALVE HIGH TEMPERATURE

450 SERIES™ | 500 SERIES™ | 550 SERIES™

CLASSIC™, SPRINT™, QUATTRO™ – 09x5, 09x9, 10x5, 10T6, 10x8, 10x9









272235S x1

4107 272235S x6



698369 x1

4216WM 698369 x6



694394 x1

4178 694394 x5



795083 x1

4251WM 795083 x10



497929S x1

4132 497929S x5



270344S x1



697316 x1



281434S x1



281505S x2

4204WM 281505S x5



499901 x1



692299 x1



790965 x1

62m, Ø 3,2mm



493880S x1



66538S x1



222698S x1

4181 222698S x10

4144 222698S x50

450E SERIES™ | 500E SERIES™ | 550E SERIES™ | 575EX SERIES™ | 575iS SERIES™

08P5, 08P6, 09P6, 09P7, 09P8, 092J







593260 x1
4247 593260 x5
593260M 593260 x25



799579 x1
4248 799579 x5
799579M 799579 x25




591108 x1



799585 x1



799580 x1



799587 x1



692046 x1
4221P05 692046 x5



596250 x1



594281 x1



270344S x1



692076 x1



281434S x1



222698S x1
4181 222698S x10
4144 222698S x50



992231 x1
ENGINE CARE
450E SERIES™, 500E SERIES™



992232 x1
ENGINE CARE
550E SERIES™, 575EX SERIES™,
550EX SERIES™ ECO-PLUS

625E SERIES™ | 650E SERIES™ | 675EX SERIES™

QUANTUM® – 12xx









491588S x1

4101 491588S x5

491588L 491588S x50



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



398188 x1



698183 x1



498260 x1



692046 x1

4221P05 692046 x5



694395 x1

4180 694395 x5



270344S x1



298090S x1

4105 298090S x5




399781S x1



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



692232 x1

4182 692232 x10



691038 Ø 11mm x1

4230 691038 x100



693981 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



795629 x1

4156 795629 x5



280399S x1



692299 x1



281434S x1



493880S x1



281505S x2

4204WM 281505S x5



66538S x1



498144 x1



222698S x1

4181 222698S x10

4144 222698S x50



790965 x1

62m, Ø 3,2mm



992244WM
ENGINE CARE x1
625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM®

625EXi SERIES™ OHV

093J





593260 x1

4247 593260 x5

593260M 593260 x25



595191 x1




591108 x1



799585 x1



799580 x1



799587 x1



692046 x1

4221P05 692046 x5



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



692076 x1



281434S x1



222698S x1

4181 222698S x10

4144 222698S x50

650EXi SERIES™ | 675EXi SERIES™ | 675iS SERIES™

103M, 104M









593260 x1

4247 593260 x5

593260M 593260 x25



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



595191 x1



692076 x1



591108 x1



281434S x1




799580 x1



222698S x1

4181 222698S x10

4144 222698S x50



799587 x1



596206 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm

700E SERIES™ | 750EX SERIES™ | 775iS SERIES™

DOV® – 0906, 1006, 1008









792038

4245 792038 x5

x1



793676

4267 793676 x5

x1



298090S

4105 298090S x5

x1



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm

x1



691038

Ø 11mm x1

4230 691038 x100



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm

x1



791850

Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183

x1



692046

4221P05 692046 x5

x1



399781S

x1



691894

x1



280399S

x1



281434S

x1



790965

62m, Ø 3,2mm

x1



493880S

x1



66538S

x1



222698S x1

4181 222698S x10

4144 222698S x50



992234
ENGINE CARE
DOV™, DOV™ I/C®, 700 SERIES™, 750 SERIES™, 750 SERIES™ I/C® x1



800E SERIES™ | 850E SERIES™ | 875EX SERIES™ | 875iS SERIES™

11P9, 12R9, 12S9, 12Q9, 121R, 111P







795066 x1

4240 795066 x5



796254 x1

4261 796254 x5



298090S x1

4105 298090S x5



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



692046 x1


4221P05 692046 x5



399781S x1



691894 x1



692232 x1

4182 692232 x10



280399S x1



281434S x1



790965 x1

62m, Ø 3,2mm



493880S x1



66538S x1



222698S x1

4181 222698S x10

4144 222698S x50



795990 x1



Genuine parts matter.

Briggs & Stratton® Genuine Parts
are guaranteed to fit and built to last.

Preferred. Proven. **Guaranteed.**

800EXi SERIES™ | 850PXi SERIES™ | 875EXi SERIES™ | 875iS SERIES™

115P, 123P, 125P







595853 x1



597266 x1




799580 x1



222698S x1

4181 222698S x10

4144 222698S x50



692232 x1

4182 692232 x10



399781S x1



692076 x1



792020
7,5m – Ø int. 6,35mm, Ø ext. 13mm x1



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



281434S x1



591108 x1



596206 x1



698183 x1



795990 x1

950PXi SERIES™

14B9, 14D9





795066 x1

4240 795066 x5



796254 x1

4261 796254 x5



298090S x1

4105 298090S x5



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



697316 x1



66538S x1



698183 x1



692046 x1


4221P05 692046 x5



399781S x1



691894 x1



692232 x1

4182 692232 x10



281434S x1



493880S x1



795990 x1

550 SERIES™ | XR 3,5

0831





796970 x1

4238 796970 x5



794641 x1



394358S x1

4112WM 394358S x5



280399S x1



797346 x1



691915 x1



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



790965 x1

62m, Ø 3,2mm



691038 Ø 11mm x1

4230 691038 x100



797658 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



797325 x1



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



797286 x1

750 SERIES™ | XR 5,0 | 950 SERIES™ | XR 6,5

1062, 130G







590601 x1



590602 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



280399S x1



691915 x1



790965 x1

62m, Ø 3,2mm



797658 x1



794641 x1



797346 x1



394358S x1

4112WM 394358S x5



590716 x1

800 SERIES™ | 900 SERIES™

POWERBUILT™ – 1263, 1210







491588S x1

4101 491588S x5

491588L 491588S x50



493537S x1

4147 493537S x5



398188 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



795027 x1



281370S x1

4203WM 281370S x5



693981 x1



281434S x1



281505S x2

4204WM 281505S x5



498144 x1



692299 x1



790965 x1

62m, Ø 3,2mm



798619 x1



281658S x1

1350 SERIES™ | 1450 SERIES™

INTEK™, INTEK™ I/C® – 2013, 2043







491588S x1

4101 491588S x5

491588L 491588S x50



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm x1



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



795027 x1



281434S x1



281505S x2

4204WM 281505S x5



498144 x1



692299 x1



790965

62m, Ø 3,2mm x1



798619 x1



281658S x1

POWERBUILT™ I/C® I/C® QUIET DIAMOND™ I/C® HIGH PERFORMANCE I/C® I/C® OHV INTEK™ OHV 28xx, 3107, 3117, 3127, 3137







496894S x1

4139 496894S x4



272403S x1

4142 272403S x5



298090S x1

4105 298090S x5



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



281370S x1

4203WM 281370S x5



281505S x2

4204WM 281505S x5



790966 x1

62m, Ø 3.6mm



497595 x1



593935 x1



695708 x1

4194 695708 x5



493880S x1



66538S x1



691909 x1



692424 x1

SERIES 3 | 3000E SERIES™
POWERBUILT™ I/C® INTEK™ 21x7, 21x8, 21x9







794421 x1

4213 794421 x6



697292 x1

4212WM 697292 x6



591583 x1

4269 591583 x5



298090S x1

4105 298090S x5



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



281505S x2

4204WM 281505S x5



790966 x1

62m, Ø 3.6mm



593934 x1



593935 x1



695708 x1

4194 695708 x5



691909 x1



692424

x1



992242
ENGINE CARE
MODEL 21, SERIES 3 POWERBUILT™,
INTEK™ I/C® OHV 21R5, 21R6, 21R7, 21R8

x1

SERIES 4 | 4000E SERIES™
I/C® INTEK™ 31x5, 31x6, 31x7







794422 x1

4214WM 794422 x6



795115 x1

4211WM 795115 x6



697015 x1

4215 697015 x5



594201 x1

84013245PAC 594201 x5



797704 x1

4259 797704 x5



298090S x1

4105 298090S x5



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



281505S x2

4204WM 281505S x5



790966 x1

62m, Ø 3.6mm



593934 x1



593935 x1



695708 x1

4194 695708 x5



66538S x1



493880S x1



691909 x1



692424 x1



992243
ENGINE CARE
MODEL 31, SERIES 4 INTEK™ I/C® OHV
31R7, 31R8, 31R9 x1

SERIES 7 INTEK™ | PROFESSIONAL SERIES™ | 7000EXI SERIES™ 40x5, 40x6, 40x7, 40x8
SERIES 8 INTEK™ | PROFESSIONAL SERIES™ | 8000EXI SERIES™ 44x5, 44x6, 44x7
SERIES 8 COMMERCIAL SERIES™ | 8000PXI SERIES™ 44T8








499486S x1

4223 499486S x6



792101 x1

4268 792101 x5



273638S x1

4256 273638S x6



792105 x1

4233 792105 x4



792303 x1



798897 x1

4250 798897 x5



594201 x1

84013245PAC 594201 x5



298090S x1

4105 298090S x5



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



695708 x1

4194 695708 x5



593935 x1



493880S x1



66538S x1

VANGUARD™ 4,1 - 4,9 GROSS kW*

13H1, 13L1, 13H3, 13L3





797033 x1



798513 x1



792917 x1



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



794641 x1



490652 x1

4130 490652 x5



790966 x1

62m, Ø 3.6mm



493880S x1



798619 x1

* I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton.

VANGUARD™ 6,0 – 7,5 GROSS kW*

19H1, 19L1, 19H2, 19L2





797032 x1



798795 x1



792917 x1



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



794641 x1



490652 x1

4130 490652 x5



790966 x1

62m, Ø 3.6mm



493880S x1



691909 x1



798503 x1

 * I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton.

VANGUARD™ 10,4 - 13,4 GROSS kW*

29x4, 29x7, 30x4, 30x7, 35x4







394018S x1

4135 394018S x4



272490S x1

4111 272490S x6



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



842921 x1

4237 842921 x12



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



698183 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



281370S x1

4203WM 281370S x5



790967 x1

62m, Ø 4,4mm



695708 x1

4194 695708 x5



493880S x1



692076 x1

* I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton.

VANGUARD™ 13,4 - 17,2 GROSS kW*

35x7, 38x4, 3867







692519 x1

4232 692519 x5



692520 x1

4257 692520 x5



84001895 x1

84001895M 84001895 x5



491056 x1

4153 491056 x12



492932S x1

4154 492932S x12



842921 x1

4237 842921 x12



395051R x1

7,5m – Ø int. 6,35mm, Ø ext. 11mm



691038 Ø 11mm x1

4230 691038 x100



692076 x1



792020 x1

7,5m – Ø int. 6,35mm, Ø ext. 13mm



791850 Ø 13mm x1

4171 791850 x5

4229 791850 x100



698183 x1



281370S x1

4203WM 281370S x5



790967 x1

62m, Ø 4,4mm



695708 x1

4194 695708 x5



493880S x1

 * I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton.



09P8020007H5 **500E SERIES™**

Ø **22.2mm - 7/8"** | **62mm**

Primer – Flywheel Break – Light Flywheel – Lo-Tone™ Muffler



09P8020004H5 **500E SERIES™**

Ø **22.2mm - 7/8"** | **80mm**

Primer – Flywheel Break – Light Flywheel – Lo-Tone™ Muffler



1006022126H5 **750EX DOV® SERIES™**

Ø **22.2mm - 7/8"** | **62mm**

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



1006020151H5 **750EX DOV® SERIES™**

Ø **22.2mm - 7/8"** | **80mm**

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



1006025025H5 **750EX DOV® SERIES™**

Ø **25.0mm** | **80mm**

Readystart™ – Band Break – Light Flywheel – Super Lo-Tone™ Muffler



0831320011F1 — XR 3,5

Ø **19.05mm - 3/4"** | **61.5mm**

Manual Choke – Heavy Flywheel – Lo-Tone™ Muffler



1062320272F1 — XR 5,0

Ø **19.05mm - 3/4"** | **61.5mm**

Manual Choke – Heavy Flywheel – Lo-Tone™ Muffler



21R8070062B5 — 3130E SERIES™

Ø **25.4mm - 1"** | **80mm**

Choke-a-matic – Light Flywheel – Electric Start – Alt 9A – Fuel Pump



31R5070012B5 — 4155E SERIES™

Ø **25.4mm - 1"** | **80mm**

Choke-a-Matic – Light Flywheel – Electric Start – Alt 9A – AVS®



31R9770121B5 — 4195EX SERIES™

Ø **25.4mm - 1"** | **80mm**

Choke-a-matic – Light Flywheel – Electric Start – Alt 9A – Fuel Pump – Oil Filter – AVS®

* I livelli di potenza sono indicati in kW lordi secondo la classificazione SAE J1940 di Briggs & Stratton. ** Le immagini dei motori e dei componenti riportate nel presente catalogo sono puramente indicative e potrebbero differire dai prodotti reali.

YOU. POWERED.™

At the end of the day, a job well done is its own reward. Our equipment is there to help make it happen. It's easy to master. Durable. And ready for a challenge. Just like you.

BRIGGS & STRATTON AG
WOLLERAUSTRASSE 41, 8807 FREIENBACH, SWITZERLAND

WWW.**BRIGGS**and**STRATTON**.COM

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. © 2026 Briggs & Stratton AG. All rights reserved.